

## Limited Warranty

C.S.I. s.r.l. guarantees to the original purchaser of the fire protection products manufactured by C.S.I. s.r.l. and to any other person to whom such equipment is transferred, that such products will be free from defect in material and workmanship under normal use and care, for two (2) years from the date of shipment by C.S.I. s.r.l. Products or Components supplied or used by C.S.I. s.r.l., but manufactured by others, are guaranteed only to the extent of the manufacturer's warranty. No warranty is given for product or components which have been subject to misuse, improper installation, corrosion, unauthorized repair, alteration or lack of maintenance. C.S.I. s.r.l. is not responsible for system design errors or improper installation or inaccurate or incomplete information supplied by buyer or buyer's representatives.

C.S.I. s.r.l. will repair or replace defective material free of charge, which is returned to our factory, transportation charge prepaid, provided that after our inspection the material is found to have been defective at the time of initial shipment from our factory. C.S.I. s.r.l. shall not be liable for any incidental or consequential loss, damage or expense arising directly or indirectly from the use of the product including damages for injury to person, damages to property and penalties resulting from any products and components manufactured by C.S.I. s.r.l..

C.S.I. s.r.l. shall not be liable for any damages or labour charges or expense in making repairs or adjustments to the product. C.S.I. s.r.l. shall not be liable for any damages or charges sustained in the adaptation or use of its engineering data & services. In no event shall C.S.I. s.r.l.'s product liability exceed an amount equal to the sale price. The foregoing warranty is exclusive and in lieu of all other warranties and representation whether expressed, implied, orally or written, including but not limited to, any implied warranties or merchantability or fitness for a particular purpose. All such other warranties and representations are hereby cancelled.

NOTICE: The equipment presented in this catalogue is to be installed in

accordance with the latest publication standards of NFPA, EN or other similar organizations and also with the provision of government codes or ordinances wherever applicable. The information provided by us is to the best of our knowledge and belief, and is a general guideline only. On Site handling and installation control is beyond our reach. Hence we give no guarantee for result and take no liability for damages, loss or penalties whatsoever, resulting from our suggestion, information, recommendation or damages due to our product. Product development is an ongoing program at C.S.I. s.r.l. and therefore we, the company reserve the right to modify any specification without prior notice.

Prior to designing any type of foam system, it is prudent to study the different standards that may govern its design and installation. Each foam concentrate or foam hardware manufacturer has designed proportioning devices and discharge devices that are unique and specific to a given foam concentrate, so it is important to consult your choice of vendor prior to quoting or designing a project. Most foam concentrate vendors have a design data book or technical assistance service to help a contractor avoid making mistakes in the application of a system. There are many applications and opportunities for foam systems today, so it is important to use the resources available to you to take the "fear" out of special hazards.

Nome file: Limited Warranty  
Directory: C:\Users\Laura  
Valenti\Documents\GESTIONEPLUS\CLIENTI\CLIENTI\CSI  
ANTINCENDIO  
Modello: C:\Users\Laura  
Valenti\AppData\Roaming\Microsoft\Templates\Normal.dot  
m  
Titolo:  
Oggetto:  
Autore: Laura Valenti  
Parole chiave:  
Commenti:  
Data creazione: 17/09/2022 09:20:00  
Numero revisione: 1  
Data ultimo salvataggio: 17/09/2022 09:21:00  
Autore ultimo salvataggio: Laura Valenti  
Data ultima stampa: 17/09/2022 09:21:00  
Come da ultima stampa completa  
Numero pagine: 2  
Numero parole: 534 (circa)  
Numero caratteri: 3.049 (circa)